

joann@ravensviewgenetics.com
 9179690545
 License #: OCM-AUCC-22-000136



Date Released: 6/13/2024 4:38:16PM

Report #: 18005

Petrona

Sample #: 5018, Weight: 20.00g, Unit Count:

Order #: X240609-0003

Category/Type: Plant, Preroll

Date Collected: 6/9/2024 5:07:10PM


Date Received: 6/9/2024 5:48:59PM

Regulator Sample ID: 6750-0811-9225-2108

Regulator Source Package ID: 6750-0811-9225-2108

Regulator Batch ID: 6750-0811-9225-2108

Size: 10000Units, Unit Count:



Potency Analysis by HPLC

Total Cannabinoids: **23.86 % - 238.6 mg/g**
 Total THC: **19.62 % - 196.2 mg/g**
 Total CBD: **0.04809 % - 0.4809 mg/g**

Date Completed: 06/12/2024 8:36AM

Compound	CAS#	LOQ (%)	%	mg/g	Relative Concentration
THCa	23978-85-0	0.001000	17.14	171.4	[Bar]
d9-THC	1972-08-3	0.001000	4.585	45.85	[Bar]
CBGa	25555-57-1	0.001000	1.592	15.92	[Bar]
CBG	25654-31-3	0.001000	0.2247	2.247	[Bar]
CBC	20675-51-8	0.001000	0.1286	1.286	[Bar]
CBN	521-35-7	0.001000	0.08346	0.8346	[Bar]
CBDa	1244-58-2	0.001000	0.05483	0.5483	[Bar]
THCV	31262-37-0	0.001000	0.04804	0.4804	[Bar]
d8-THC	5957-75-5	0.001000	ND	ND	[Bar]
d10/R9-THC	95543-62-7	0.001000	ND	ND	[Bar]
d10/S9-THC	95588-87-7	0.001000	ND	ND	[Bar]
CBD	13956-29-1	0.001000	ND	ND	[Bar]
CBDV	24274-48-4	0.001000	ND	ND	[Bar]

Test Comment: Cannabinoids analyzed by HPLC using P-NY100. The reported result is based on a sample weight using moisture content for flower samples unless moisture is listed as zero or ND. Unless otherwise stated all QC passed.

d8-THC is an abbreviation for delta-8 tetrahydrocannabinol. d9-THC is an abbreviation for delta-9 tetrahydrocannabinol.

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E
 Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-2022-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director



joann@ravensviewgenetics.com
 9179690545
 License #: OCM-AUCC-22-000136



Sample #: 5018

Petrone

Compound	CAS#	LOQ (%)	%	mg/g	Relative Concentration
THCa		0.001000	17.14	171.4	
d9-THC		0.001000	4.585	45.85	
CBGa		0.001000	1.592	15.92	
CBG		0.001000	0.2247	2.247	
CBC		0.001000	0.1286	1.286	
CBN		0.001000	0.08346	0.8346	
CBDa		0.001000	0.05483	0.5483	
THCV		0.001000	0.04804	0.4804	
CBDV		0.001000	ND	ND	
CBD		0.001000	ND	ND	
d8-THC		0.001000	ND	ND	
d10/R9-THC	95543-62-7	0.001000	ND	ND	
d10/S9-THC	95588-87-7	0.001000	ND	ND	

Terpenes by HS-GC-MS

Date Completed: 06/10/2024 10:13AM



Compound	CAS#	LOQ (%)	%	Relative Concentration
Beta-caryophyllene	87-44-5	0.1000	0.3914	
Alpha-bisabolol	515-69-5	0.1000	0.1393	
Farnesene	502-61-4	0.1000	0.1361	
Beta-myrcene	123-35-3	0.1000	0.1160	
Limonene	5989-27-5	0.1000	ND	
Alpha-pinene	80-56-8	0.1000	ND	
Alpha-humulene	6753-98-6	0.1000	ND	
Linalool	78-70-6	0.1000	ND	

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E
 Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-2022-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director



joann@ravensviewgenetics.com
 9179690545
 License #: OCM-AUCC-22-000136



Sample #: 5018

Petrone

Compound	CAS#	LOQ (%)	%	Relative Concentration
Beta-pinene	127-91-3	0.1000	ND	
Terpinolene	586-62-9	0.1000	ND	
Borneol	464-43-7	0.1000	ND	
Ocimene	13877-91-3	0.1000	ND	
Caryophyllene-oxide	1139-30-6	0.1000	ND	
Geraniol	106-24-1	0.1000	ND	
Camphene	79-92-5	0.1000	ND	
Guaial	489-86-1	0.1000	ND	
Alpha-terpinene	99-86-5	0.1000	ND	
Terpineol	8006-39-1	0.1000	ND	
Fenchol	14575-74-7	0.1000	ND	
Valencene	4630-07-3	0.1000	ND	
Alpha-phellandrene	99-83-2	0.1000	ND	
Camphor	464-49-3	0.1000	ND	
3-Carene	13466-78-9	0.1000	ND	
Alpha-cedrene	469-61-4	0.1000	ND	
Cedrol	77-53-2	0.1000	ND	
Eucalyptol	470-82-6	0.1000	ND	
Fenchone	1195-79-5	0.1000	ND	
Gamma-terpinene	99-85-4	0.1000	ND	
Geranyl Acetate	105-87-3	0.1000	ND	
Isopulegol	89-79-2	0.1000	ND	
Menthol	15356-70-4	0.1000	ND	
Nerol	106-25-2	0.1000	ND	
Nerolidol		0.1000	ND	
Pulegone	89-82-7	0.1000	ND	

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E
 Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-2022-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director



joann@ravensviewgenetics.com
 9179690545
 License #: OCM-AUCC-22-000136



Sample #: 5018

Petrone

Compound	CAS#	LOQ (%)	%	Relative Concentration
Sabinene	3387-41-5	0.1000	ND	
Sabinene Hydrate	546-79-2	0.1000	ND	

Test Comment: Terpenes tested by GCMS using P-NY210. Unless otherwise stated, all QC passed.

Foreign Matter by Microscopy **Pass** Analysis Date: 06/12/2024 10:08 am

Compound	LOQ (%)	Limits (%)	Result (%)	Status
% Foreign Matter	0.00100	2.0	ND	Pass
Mammalian Exreta	0.00100	0.03	ND	Pass
Stems	0.00100	5.0	ND	Pass

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

Moisture LWG **Pass** Analysis Date: 06/12/2024 10:53 am

Compound	LOQ (%)	Limits (%)	Result (%)	Status
Moisture	1.2	5 - 15	11.8	Pass

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

Water Activity **Pass** Analysis Date: 06/12/2024 10:08 am

Compound	LOQ (Aw)	Limits (Aw)	Result (Aw)	Status
Water Activity	0.05	0.65	0.57	Pass

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

Pesticides by LCMSMS **Pass** Analysis Date: 06/12/2024 2:05 pm

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Abamectin	0.0100	0.500	ND	Pass
Acephate	0.0100	0.400	ND	Pass
Acequinocyl	0.0100	2.00	ND	Pass

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E
 Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-2022-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director



joann@ravensviewgenetics.com
 9179690545
 License #: OCM-AUCC-22-000136



Sample #: 5018

Petrone

Pesticides by LCMSMS

Pass

Analysis Date: 06/12/2024 2:05 pm

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Acetamiprid	0.0100	0.200	ND	Pass
Aldicarb	0.0100	0.400	ND	Pass
Azadirachtin	0.0100	1.00	ND	Pass
Azoxystrobin	0.0100	0.200	ND	Pass
Bifenazate	0.0100	0.200	ND	Pass
Bifenthrin	0.0100	0.200	ND	Pass
Boscalid	0.0100	0.400	ND	Pass
Captan	0.0100	1.00	ND	Pass
Carbaryl	0.0100	0.200	ND	Pass
Carbofuran	0.0100	0.200	ND	Pass
Chlorantraniliprole	0.0100	0.200	ND	Pass
Chlordane-alpha	0.0100	1.00	ND	Pass
Chlorfenapyr	0.0100	1.00	ND	Pass
Chlormequat Chloride	0.0100	1.00	ND	Pass
Chlorpyrifos	0.0100	0.200	ND	Pass
Clofentezine	0.0100	0.200	ND	Pass
Coumaphos	0.0100	1.00	ND	Pass
Cyfluthrin	0.0100	1.00	ND	Pass
Cypermethrin	0.0100	1.00	ND	Pass
Daminozide	0.0100	1.00	ND	Pass
Diazinon	0.0100	0.200	ND	Pass
Dichlorvos	0.0100	1.00	ND	Pass
Dimethoate	0.0100	0.200	ND	Pass
Dimethomorph	0.0100	1.00	ND	Pass
Ethoprophos	0.0100	0.200	ND	Pass
Etofenprox	0.0100	0.400	ND	Pass

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E
 Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-2022-00007

Kelly N. Greenland

Dr. Kelly Greenland, Lab Director



joann@ravensviewgenetics.com
 9179690545
 License #: OCM-AUCC-22-000136



Sample #: 5018

Petrone

Pesticides by LCMSMS

Pass

Analysis Date: 06/12/2024 2:05 pm

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Etoazole	0.0100	0.200	ND	Pass
Fenhexamid	0.0100	1.00	ND	Pass
Fenoxycarb	0.0100	0.200	ND	Pass
Fenpyroximate	0.0100	0.400	ND	Pass
Fipronil	0.0100	0.400	ND	Pass
Flonicamid	0.0100	1.00	ND	Pass
Fludioxonil	0.0100	0.400	ND	Pass
Hexythiazox	0.0100	1.00	ND	Pass
Imazalil	0.0100	0.200	ND	Pass
Imidacloprid	0.0100	0.400	ND	Pass
Indolebutyric Acid	0.0100	1.00	ND	Pass
Kresoxim-methyl	0.0100	0.400	ND	Pass
Malathion	0.0100	0.200	ND	Pass
Metalaxyl	0.0100	0.200	ND	Pass
Methiocarb	0.0100	0.200	ND	Pass
Methomyl	0.0100	0.400	ND	Pass
Methyl Parathion	0.0100	0.200	ND	Pass
Mevinphos	0.0100	1.00	ND	Pass
MGK-264	0.0100	0.200	ND	Pass
Myclobutanil	0.0100	0.200	ND	Pass
Naled	0.0100	0.500	ND	Pass
Oxamyl	0.0100	1.00	ND	Pass
Paclobutrazol	0.0100	0.400	ND	Pass
Pentachloronitrobenzene	0.0100	1.00	ND	Pass
Permethrins, Total	0.0100	0.200	ND	Pass
Phosmet	0.0100	0.200	ND	Pass

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E
 Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-2022-00007

Kelly N. Greenland

Dr. Kelly Greenland, Lab Director



joann@ravensviewgenetics.com
 9179690545
 License #: OCM-AUCC-22-000136



Sample #: 5018

Petrone

Pesticides by LCMSMS

Pass

Analysis Date: 06/12/2024 2:05 pm

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Piperonyl Butoxide	0.0100	2.00	ND	Pass
Prallethrin	0.0100	0.200	ND	Pass
Propiconazole	0.0100	0.400	ND	Pass
Propoxur	0.0100	0.200	ND	Pass
Pyrethrins Total	0.0100	1.00	ND	Pass
Pyridaben	0.0100	0.200	ND	Pass
Spinetoram Total	0.0100	1.00	ND	Pass
Spinosad Total	0.0100	0.200	ND	Pass
Spiromesifen	0.0100	0.200	ND	Pass
Spirotetramat	0.0100	0.200	ND	Pass
Spiroxamine	0.0100	0.200	ND	Pass
Tebuconazole	0.0100	0.400	ND	Pass
Thiacloprid	0.0100	0.200	ND	Pass
Thiamethoxam	0.0100	0.200	ND	Pass
Trifloxystrobin	0.0100	0.200	ND	Pass

Comment: Pesticides tested by LCMSMS by using P-NY150. Unless otherwise stated, all QC passed.

Mycotoxins by LCMSMS

Pass

Analysis Date: 06/12/2024 2:05 pm

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Aflatoxin B1	0.0050	0.020	ND	Pass
Aflatoxin B2	0.0050	0.020	ND	Pass
Aflatoxin G1	0.0050	0.020	ND	Pass
Aflatoxin G2	0.0050	0.020	ND	Pass
Ochratoxin A	0.0050	0.020	ND	Pass
Total Aflatoxin	0.0050	0.020	ND	Pass

Comment: Mycotoxin contamination tested by LCMSMS using P-NY125. Unless otherwise stated, all QC passed.

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E
 Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-2022-00007

Kelly N. Greenland

Dr. Kelly Greenland, Lab Director



joann@ravensviewgenetics.com
 9179690545
 License #: OCM-AUCC-22-000136



Sample #: 5018

Petrone

Heavy Metals by ICPMS		Pass		Analysis Date: 06/13/2024 11:14 am	
Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status	
Antimony	0.0100	2.00	ND	Pass	
Arsenic	0.00100	0.200	ND	Pass	
Cadmium	0.00150	0.300	0.0379	Pass	
Chromium	0.280	110	0.440	Pass	
Copper	0.0750	30.0	10.2	Pass	
Lead	0.00250	0.500	0.104	Pass	
Mercury	0.000500	0.100	ND	Pass	
Nickel	0.0100	5.00	0.536	Pass	

Comment: Heavy Metal contamination tested by ICPMS using P-NY140. Unless otherwise stated, all QC passed.

Micro by Petri & qPCR		Pass		Analysis Date: 06/12/2024 4:03 pm	
Compound	LOQ (CFU/g)	Limits (CFU/g)	Result (CFU/g)	Status	
Aspergillus flavus Qualitative	1	0	Not Detected	Pass	
Aspergillus fumigatus Qualitative	1	0	Not Detected	Pass	
Aspergillus niger Qualitative	1	0	Not Detected	Pass	
Aspergillus terreus Qualitative	1	0	Not Detected	Pass	
Salmonella Qualitative	1	0	Not Detected	Pass	
Shiga Toxin-Producing E. coli Qualitative	1	0	Not Detected	Pass	
Total Aerobic Bacteria	10		1000	Pass	
Total Yeast & Mold	10		<LOQ	Pass	

Comment: Microbial contamination tested by Petrifilm plates and qPCR using P-NY120. Unless otherwise stated, all QC passed. Due to COA validation limitations: "Not Detected" = "Absent" and "Detected" = "Presumptive Presence". Acceptance Limits: "0" = "Absence" and "1" = "Presence".

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
 1809 Vestal Pkwy E
 Vestal, NY 13850
 (607)301-0884
 InfoNY@KeystoneStateTesting.com
 www.KeystoneStateTesting.com
 Permit #: OCM-CPL-2022-00007

Kelly Greenland

Dr. Kelly Greenland, Lab Director

